

New York State Department of Health

PFI: 2253

Clinical Laboratory Permit

CLIA: 33D0654609

The Mary Imogene Bassett Hospital Cooperstown Laboratory

1 Atwell Road

Cooperstown NY 13326

Director:
Samantha K. Davenport, M.D.

Owner:
The Mary Imogene Bassett Hospital Inc.

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

Bacteriology
Blood pH and Gases
Blood Services
Transfusion Service
Clinical Chemistry
Cytopathology
Gynecological Testing
Non-gynecological Testing

Diagnostic Immunology
Diagnostic Services Serology
Endocrinology
Hematology
Histopathology
General
Immunohematology
Mycology

Parasitology
Toxicology
Clinical Toxicology-Qualitative Testing Only
Ther. Sub. Mon./Quant. Tox.
Urinalysis
Virology
(limited to FDA-approved antigen detection and molecular methods)

Renewal

Effective Date: July 1, 2024

Expiration Date: June 30, 2025

Subject to Revocation
Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 188717