

**Bassett Healthcare Network  
Point of Care  
Nitrazine Paper Vaginal pH Patient and QC Result Log**

pH 5.0 LOT #: _____ Exp: _____ pH 7.0 LOT#: _____ Exp: _____ pH Paper LOT#: _____ Exp: _____									
Date	Time	Patient Label/Information	Patient result for ruptured membranes Circle One	Patient result for bacterial vaginosis Circle One	QC pH 7.0 Result pH 6.5 - 7.5	QC pH 5.0 Result pH 4.5 - 5.5	Initials of Operator	Entered into Epic	POC Review
		Patient Information Name: _____ Loc: _____ MRN: _____ D.O.S. _____ Ordering Provider: _____ or Place Patient Registration label here.	<b>pH&lt;6.0=Negative</b>  <b>pH&gt;6.5=Positive</b>	<b>&lt;4.5 excludes BV</b>  <b>&gt;4.5 c/w BV</b>					
		Patient Information Name: _____ Loc: _____ MRN: _____ D.O.S. _____ Ordering Provider: _____ or Place Patient Registration label here.	<b>pH&lt;6.0=Negative</b>  <b>pH&gt;6.5=Positive</b>	<b>&lt;4.5 excludes BV</b>  <b>&gt;4.5 c/w BV</b>					
		Patient Information Name: _____ Loc: _____ MRN: _____ D.O.S. _____ Ordering Provider: _____ or Place Patient Registration label here.	<b>pH&lt;6.0=Negative</b>  <b>pH&gt;6.5=Positive</b>	<b>&lt;4.5 excludes BV</b>  <b>&gt;4.5 c/w BV</b>					
		Patient Information Name: _____ Loc: _____ MRN: _____ D.O.S. _____ Ordering Provider: _____ or Place Patient Registration label here.	<b>pH&lt;6.0=Negative</b>  <b>pH&gt;6.5=Positive</b>	<b>&lt;4.5 excludes BV</b>  <b>&gt;4.5 c/w BV</b>					
		Patient Information Name: _____ Loc: _____ MRN: _____ D.O.S. _____ Ordering Provider: _____ or Place Patient Registration label here.	<b>pH&lt;6.0=Negative</b>  <b>pH&gt;6.5=Positive</b>	<b>&lt;4.5 excludes BV</b>  <b>&gt;4.5 c/w BV</b>					

1) QC must be run and documented every 31 days or less

2) QC result documentation is recorded as **actual pH value** - NO CHECK MARKS OR +/- SIGNS

**NOTE:** All data is reviewed by the Point of Care technical staff during regularly scheduled site visits. The review encompasses information from the last review date to the current review date. Staff performing tests are responsible to ensure that results are within acceptable range.