

New York State Department of Health

PFI: 8221

Clinical Laboratory Permit

CLIA: 24D1040592

Mayo Clinic Laboratories - Rochester Superior Drive
3050 Superior Dr NW
Rochester MN 55901

Director:
William G. Morice, M.D.

Owner:
Mayo Clinic

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

Bacteriology
Cellular Immunology
Leukocyte Function
Non-Malignant Leukocyte Immunophenotyping
Clinical Chemistry
Cytokines
Diagnostic Immunology
Diagnostic Services Serology

Endocrinology
Fetal Defect Markers
Genetic Testing
Biochemistry
(limited to alpha-1 antitrypsin deficiency testing)
Hematology
Mycology

Parasitology**PROVISIONAL**
Toxicology
Blood Lead-Camprehensive
Clinical Toxicology-Comprehensive
Forensic Toxicology-Comprehensive
Trace Elements
Ther. Sub. Mon./Quant. Tox.
Virology

Renewal

Effective Date: July 1, 2023

Expiration Date: June 30, 2024

Subject to Revocation
Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 173374